

Curriculum Vitae Europass

Informazioni personali

Nome(i) / Cognome(i) **ANTONELLA TRIVELLI** codice fiscale TRVNNL61D60D969K
 Indirizzo(i) **VIA LEMERLE 23 A 9**
 Telefono(i) Cellulare: **331.6200480**
 Fax **010.395214**
 E-mail **antonellatrivelli@ospedale-gaslini.ge.it**

Cittadinanza **Italiana**

Data di nascita **20/04/1961**

Sesso **femmina**

Occupazione desiderata/Settore professionale

Dirigente medico U.O. Nefrologia e dialisi IRCCS G. Gaslini - Genova

Esperienza professionale

Diploma di Laurea in Medicina e Chirurgia presso l'Università di Genova il 15-07-1987, abilitazione all'esercizio professionale nel novembre 1987
 specializzazione in Nefrologia presso l'Università di Genova nel luglio 1992.

- frequenza come medico volontario dall'ottobre 1987 fino al successivo anno nel reparto di Nefrologia dell'Università di Genova (DIMI) diretto dal Prof. Tizianello;
- frequenza come specializzanda nello stesso reparto dall'ottobre 1988;
- frequenza come medico volontario dal maggio 1990 presso la Divisione di Nefrologia dell'istituto Giannina Gaslini, primario Prof.ssa Rosanna Gusmano;
- dal settembre 1991 dirigente medico presso il suddetto reparto;

Lavoro o posizione ricoperti **Dirigente medico U.O. Nefrologia e dialisi IRCCS G. Gaslini - Genova**

Principali attività e responsabilità

- partecipazione all'attività di laboratorio di nefrologia con studi relativi all'induzione di nefropatie, tecniche di ibridizzazione in situ, studi su cellule mesoteliali;
- collaborazione a:
 - progetti di ricerca sulla immunopatogenesi delle malattie renali;
 - gestione dei dati di reparto per lo studio collaborativo nazionale ed europeo sulla sindrome di Alport
 - gestione dei dati di reparto per il registro delle biopsia renali pediatriche (anni 1994-1997)
 - valutazione dei dati relativi alle sindromi nefrosiche con studio sul trattamento con Levamisolo
 - studi di adeguatezza dialitica
 - studi sulla dialisi peritoneale
 - referente per i dati della genetica per lo studio internazionale sulla sindrome emolitica uremica
 - referente di reparto per le malattie rare (2007-2009)
- Ha condotto studi in accordo alle normative della buona pratica clinica come segue:
 - dal maggio 2005 co-investigatore dello studio europeo su farmaci ACE-inibitori (ESCAPE TRIAL) (terminato 2010)
 - dal novembre 2006 study coordinator dello studio su farmaco antiipertensivo: candesartan (CINCH) (terminato 2008)
 - dal settembre 2007 principal investigator dello studio su farmaco antiipertensivo: valsartan (terminato 2009)
 - dal gennaio 2008 principal investigator dello studio europeo su farmaci ACE inibitori (ESCAPE II) (in atto)
 - dal luglio 2008 principal investigator dello studio HIP Atacand (terminato 2009)
 - dal marzo 2009 co-investigatore dello studio Europeo C4 /PODONET (in atto)
 - dal luglio 2009 principal investigator studio Europeo sul trattamento della sindrome emolitica uremica atipica con eculizumab (terminato ottobre 2012)
 - dall'ottobre 2011 principal investigator studio Europeo "the cardiovascular comorbidity in children with chronic kidney disease" (in atto)
 - da gennaio 2012 principal investigator studio multicentrico prot. CRAD001A2314 sulla terapia del trapianto di rene
 - dal gennaio 2012 medico di riferimento day hospital/ambulatorio del follow up del trapianto renale
 - dal gennaio 2012 consulente interno dell'Ospedale Gaslini per i reparti di trapianto midollo osseo, ematologia, oncologia
- dal gennaio 2009 incarico professionale sulla diagnosi e terapia dell'insufficienza renale acuta e sulle applicazioni di tecniche di dialisi continua nel paziente acuto
- dall'aprile 2015: IAS "terapie innovative nelle complicanze del trapianto renale: linfomi, PTLN, rigetto umorale"
- Pubblicazioni su riviste internazionali inerenti al campo di applicazione lavorativa: in allegato

Nome e indirizzo del datore di lavoro IRCCS G. GASLINI, largo G. Gaslini, 5, 16148 Genova - Quarto

Capacità e competenze personali Diploma di compimento 8° anno pianoforte

Madrelingua(e) Italiano

Altra(e) lingua(e) Inglese 1
Francese 2

Autovalutazione
Livello europeo (*)

Lingua

Lingua

	Comprensione		Parlato		Scritto
	Ascolto	Lettura	Interazione orale	Produzione orale	
1	buono	buono	buono	buona	buono
2	sufficiente	Buono	Buono	Buono	buono


(*) Quadro comune europeo di riferimento per le lingue

Capacità e competenze tecniche	dialisi continua nel paziente acuto con utilizzo cyclor dedicati (PRISMA/PRISMAFLEX)
Capacità e competenze informatiche	Limitate a programmi di scrittura e di gestione di immagini
Patente	B

Autorizzo il trattamento dei miei dati personali ai sensi del Decreto Legislativo 30 giugno 2003, n. 196 "Codice in materia di protezione dei dati personali".

Data 1/12/2019


Firma



Io sottoscritto antonella trivelli sono consapevole delle sanzioni previste dall'art 76 del Testo Unico, DPR 28/12/2000 n. 445, e della decadenza dei benefici prevista dall'art.75 del medesimo Testo Unico, in caso di dichiarazioni false o mendaci, sotto la mia responsabilità

Data 1/12/2019

Firma



Art. 13, D.lgs. n. 196/2003 Tutela della riservatezza.

I dati da Lei comunicati sono riservati e verranno trattati al solo scopo di prestare il servizio in oggetto inclusa l'eventuale attribuzione dei crediti ECM. Verranno pertanto trasmessi alla Commissione Nazionale per l'Educazione Continua in Medicina, conservati nella base dati del CISEF e riutilizzati per Sue future partecipazioni ad eventi CISEF Il Suo c.v. sarà pubblicato nella Banca dati del sito ECM e conservato nell'archivio CISEF

Il titolare del trattamento è il Centro Internazionale di Studi e Formazione "Germana Gaslini", via Romana della Castagna, 11A, 16148 Genova, cui si potrà rivolgere per l'esercizio dei diritti di cui all'art. 13 della legge sopracitata

Low levels of urinary epidermal growth factor predict chronic kidney disease progression in children.

Azukaitis K, Ju W, Kirchner M, Nair V, Smith M, Fang Z, Thurn-Valsassina D, Bayazit A, Niemirska A, Canpolat N, Bulut IK, Yalcinkaya F, Paripovic D, Harambat J, Cakar N, Alpay H, Lugani F, Mencarelli F, Civilibal M, Erdogan H, Gellermann J, Vidal E, Tabel Y, Gimpel C, Ertan P, Yavascan O, Melk A, Querfeld U, Wühl E, Kretzler M, Schaefer F; 4C Study; ESCAPE Trial Group. *Kidney Int.* 2019 Jul;96(1):214-221. doi: 10.1016/j.kint.2019.01.035. Epub 2019 Mar 20.

Failure to remove de novo donor-specific HLA antibodies is influenced by antibody properties and identifies kidney recipients with late antibody-mediated rejection destined to graft loss - a retrospective study.

Cioni M, Nocera A, Tagliamacco A, Basso S, Innocente A, Fontana I, Magnasco A, **Trivelli A**, Klersy C, Gurrado A, Ramondetta M, Boghen S, Catenacci L, Verrina E, Garibotto G, Ghiggeri GM, Cardillo M, Ginevri F, Comoli P. *Transpl Int.* 2019 Jan;32(1):38-48. doi: 10.1111/tri.13325. Epub 2018 Aug 27.

Early Proteinuria Lowering by Angiotensin-Converting Enzyme Inhibition Predicts Renal Survival in Children with CKD.

van den Belt SM, Heerspink HJL, Gracchi V, de Zeeuw D, Wühl E, Schaefer F; ESCAPE Trial Group.

Estimating Time to ESRD in Children With CKD.

Furth SL, Pierce C, Hui WF, White CA, Wong CS, Schaefer F, Wühl E, Abraham AG, Warady BA; Chronic Kidney Disease in Children (CKiD); Effect of Strict Blood Pressure Control and ACE Inhibition on the Progression of CRF in Pediatric Patients (ESCAPE) Study Investigators. *Am J Kidney Dis.* 2018 Jun;71(6):783-792. doi: 10.1053/j.ajkd.2017.12.011. Epub 2018 Apr 10

The Italian Society for Pediatric Nephrology (SINePe) consensus document on the management of nephrotic syndrome in children: Part I - Diagnosis and treatment of the first episode and the first relapse.

Pasini A, Benetti E, Conti G, Ghio L, Lepore M, Massella L, Molino D, Peruzzi L, Emma F, Fede C, **Trivelli A**, Maringhini S, Materassi M, Messina G, Montini G, Murer L, Pecoraro C, Pennesi M. *Ital J Pediatr.* 2017 Apr 21;43(1):41. doi: 10.1186/s13052-017-0356-x. Review.

De Novo Donor-Specific HLA Antibodies Developing Early or Late after Transplant Are Associated with the Same Risk of Graft Damage and Loss in Nonsensitized Kidney Recipients.

Cioni M, Nocera A, Innocente A, Tagliamacco A, **Trivelli A**, Basso S, Quartuccio G, Fontana I, Magnasco A, Drago F, Gurrado A, Guido I, Compagno F, Garibotto G, Klersy C, Verrina E, Ghiggeri GM, Cardillo M, Comoli P, Ginevri F. *J Immunol Res.* 2017;2017:1747030. doi: 10.1155/2017/1747030. Epub 2017 Mar 6.

Infants Requiring Maintenance Dialysis: Outcomes of Hemodialysis and Peritoneal Dialysis.

Vidal E, van Stralen KJ, Chesnaye NC, Bonthuis M, Holmberg C, Zurowska A, **Trivelli A**, Da Silva JEE, Herthelius M, Adams B, Bjerre A, Jankauskiene A, Miteva P, Emirova K, Bayazit AK, Mache CJ, Sánchez-Moreno A, Harambat J, Groothoff JW, Jager KJ, Schaefer F, Verrina E; ESPN/ERA-EDTA Registry. *Am J Kidney Dis.* 2017 May;69(5):617-625. doi: 10.1053/j.ajkd.2016.09.024. Epub 2016 Dec 10.

Acquisition of C3d-Binding Activity by De Novo Donor-Specific HLA Antibodies Correlates With Graft Loss in Nonsensitized Pediatric Kidney Recipients.

Comoli P, Cioni M, Tagliamacco A, Quartuccio G, Innocente A, Fontana I, **Trivelli A**, Magnasco A, Nocco A, Klersy C, Rubert L, Ramondetta M, Zecca M, Garibotto G, Ghiggeri GM, Cardillo M, Nocera A, Ginevri F. *Am J Transplant.* 2016 Jul;16(7):2106-16. doi: 10.1111/ajt.13700. Epub 2016 Feb 16.

Long-term growth hormone treatment in short children with CKD does not accelerate decline of renal function: results from the KIGS registry and ESCAPE trial.

Mehls O, Lindberg A, Haffner D, Schaefer F, Wühl E; German KIGS Board; ESCAPE Trial Group. *Pediatr Nephrol.* 2015 Dec;30(12):2145-51. doi: 10.1007/s00467-015-3157-8. Epub 2015 Jul 22.

Normal 25-Hydroxyvitamin D Levels Are Associated with Less Proteinuria and Attenuate Renal Failure Progression in Children with CKD.

Shroff R, Aitkenhead H, Costa N, **Trivelli A**, Litwin M, Picca S, Anarat A, Sallay P, Ozaltin F, Zurowska A, Jankauskiene A, Montini G, Charbit M, Schaefer F, Wühl E; ESCAPE Trial Group. *J Am Soc Nephrol*. 2016 Jan;27(1):314-22. doi: 10.1681/ASN.2014090947. Epub 2015 Jun 11.

Markers of bone metabolism are affected by renal function and growth hormone therapy in children with chronic kidney disease.

Doyon A, Fischer DC, Bayazit AK, Canpolat N, Duzova A, Sözeri B, Bacchetta J, Balat A, Büscher A, Candan C, Cakar N, Donmez O, Dusek J, Heckel M, Klaus G, Mir S, Özcelik G, Sever L, Shroff R, Vidal E, Wühl E, Gondon M, Melk A, Querfeld U, Haffner D, Schaefer F; 4C Study Consortium. *PLoS One*. 2015 Feb 6;10(2):e0113482. doi: 10.1371/journal.pone.0113482. eCollection 2015.

Efficacy and safety of eculizumab in atypical hemolytic uremic syndrome from 2-year extensions of phase 2 studies.

Licht C, Greenbaum LA, Muus P, Babu S, Bedrosian CL, Cohen DJ, Delmas Y, Douglas K, Furman RR, Gaber OA, Goodship T, Herthelius M, Hourmant M, Legendre CM, Remuzzi G, Sheerin N, **Trivelli A**, Loirat C.

Kidney Int. 2015 May;87(5):1061-73. doi: 10.1038/ki.2014.423. Epub 2015 Feb 4.

Urinary tract effects of HPSE2 mutations.

Stuart HM, Roberts NA, Hilton EN, McKenzie EA, Daly SB, Hadfield KD, Rahal JS, Gardiner NJ, Tanley SW, Lewis MA, Sites E, Angle B, Alves C, Lourenço T, Rodrigues M, Calado A, Amado M, Guerreiro N, Serras I, Beetz C, Varga RE, Silay MS, Darlow JM, Dobson MG, Barton DE, Hunziker M, Puri P, Feather SA, Goodship JA, Goodship TH, Lambert HJ, Cordell HJ; UK VUR Study Group, Saggat A, Kinali M; 4C Study Group, Lorenz C, Moeller K, Schaefer F, Bayazit AK, Weber S, Newman WG, Woolf AS.

J Am Soc Nephrol. 2015 Apr;26(4):797-804. doi: 10.1681/ASN.2013090961. Epub 2014 Aug 21.

DQ molecules are the principal stimulators of de novo donor-specific antibodies in nonsensitized pediatric recipients receiving a first kidney transplant.

Tagliamacco A, Cioni M, Comoli P, Ramondetta M, Brambilla C, **Trivelli A**, Magnasco A, Bitocchi R, Fontana I, Dulbecco P, Palombo D, Klersy C, Ghiggeri GM, Ginevri F, Cardillo M, Nocera A. *Transpl Int*. 2014 Jul;27(7):667-73. doi: 10.1111/tri.12316. Epub 2014 Apr 25.

Terminal complement inhibitor eculizumab in atypical hemolytic-uremic syndrome.

Legendre CM, Licht C, Muus P, Greenbaum LA, Babu S, Bedrosian C, Bingham C, Cohen DJ, Delmas Y, Douglas K, Eitner F, Feldkamp T, Fouque D, Furman RR, Gaber O, Herthelius M, Hourmant M, Karpman D, Lebranchu Y, Mariat C, Menne J, Moulin B, Nürnberger J, Ogawa M, Remuzzi G, Richard T, Sberro-Soussan R, Severino B, Sheerin NS, **Trivelli A**, Zimmerhackl LB, Goodship T, Loirat C.

N Engl J Med. 2013 Jun 6;368(23):2169-81. doi: 10.1056/NEJMoa1208981.

Failure of regulation results in an amplified oxidation burst by neutrophils in children with primary nephrotic syndrome.

Bertelli R, **Trivelli A**, Magnasco A, Cioni M, Bodria M, Carrea A, Montobbio G, Barbano G, Ghiggeri GM.

Clin Exp Immunol. 2010 Jul 1;161(1):151-8. doi: 10.1111/j.1365-2249.2010.04160.x. Epub 2010 May 19.

Efficacy, safety and pharmacokinetics of candesartan cilexetil in hypertensive children from 1 to less than 6 years of age.

Schaefer F, van de Walle J, Zurowska A, Gimpel C, van Hoeck K, Drozd D, Montini G, Bagdasarova IV, Sorof J, Sugg J, Teng R, Hainer JW; Candesartan in Children with Hypertension Investigators.

J Hypertens. 2010 May;28(5):1083-90. doi: 10.1097/HJH.0b013e328336b86b.

Autoimmunity in membranous nephropathy targets aldose reductase and SOD2.

Prunotto M, Carnevali ML, Candiano G, Murtas C, Bruschi M, Corradini E, **Trivelli A**, Magnasco A, Petretto A, Santucci L, Mattei S, Gatti R, Scolari F, Kador P, Allegri L, Ghiggeri GM.

J Am Soc Nephrol. 2010 Mar;21(3):507-19. doi: 10.1681/ASN.2008121259. Epub 2010 Feb 11.

Strict blood-pressure control and progression of renal failure in children.

ESCAPE Trial Group, Wühl E, **Trivelli A**, Picca S, Litwin M, Peco-Antic A, Zurowska A, Testa S, Jankauskiene A, Emre S, Caldas-Afonso A, Anarat A, Niaudet P, Mir S, Bakaloglu A, Enke B, Montini G, Wingen AM, Sallay P, Jeck N, Berg U, Caliskan S, Wygoda S, Hohbach-Hohenfellner K, Dusek J, Urasinski T, Arbeiter K, Neuhaus T, Gellermann J, Drozd D, Fischbach M, Möller K, Wigger M, Peruzzi L, Mehls O, Schaefer F.

N Engl J Med. 2009 Oct 22;361(17):1639-50. doi: 10.1056/NEJMoa0902066.

Superior consistency of ambulatory blood pressure monitoring in children: implications for clinical trials.

Gimpel C, Wühl E, Arbeiter K, Drozd D, **Trivelli A**, Charbit M, Gellermann J, Dusek J, Jankauskiene A, Emre S, Schaefer F; ESCAPE Trial Group.

J Hypertens. 2009 Aug;27(8):1568-74. doi: 10.1097/HJH.0b013e32832cb2a8.

Renal outcome in patients with congenital anomalies of the kidney and urinary tract.

Sanna-Cherchi S, Ravani P, Corbani V, Parodi S, Haupt R, Piaggio G, Innocenti ML, Somenzi D, **Trivelli A**, Caridi G, Izzi C, Scolari F, Mattioli G, Allegri L, Ghiggeri GM.

Kidney Int. 2009 Sep;76(5):528-33. doi: 10.1038/ki.2009.220. Epub 2009 Jun 17.

Clinical features and long-term outcome of nephrotic syndrome associated with heterozygous NPHS1 and NPHS2 mutations.

Caridi G, Gigante M, Ravani P, **Trivelli A**, Barbano G, Scolari F, Dagnino M, Murer L, Murtas C, Edefonti A, Allegri L, Amore A, Coppo R, Emma F, De Palo T, Penza R, Gesualdo L, Ghiggeri GM.

Clin J Am Soc Nephrol. 2009 Jun;4(6):1065-72. doi: 10.2215/CJN.03910808. Epub 2009 Apr 30.

Familial forms of nephrotic syndrome.

Caridi G, **Trivelli A**, Sanna-Cherchi S, Perfumo F, Ghiggeri GM.

Pediatr Nephrol. 2010 Feb;25(2):241-52. doi: 10.1007/s00467-008-1051-3. Epub 2008 Dec 9. Review.

Protracted remission of proteinuria after combined therapy with plasmapheresis and anti-CD20 antibodies/cyclophosphamide in a child with oligoclonal IgM and glomerulosclerosis.

Ghiggeri GM, Musante L, Candiano G, Bruschi M, Santucci L, Barbano G, **Trivelli A**, Rivabella L, Gusmano R, Perfumo F.

Pediatr Nephrol. 2007 Nov;22(11):1953-6. Epub 2007 Jul 28.

Laparoscopic-assisted peritoneal dialysis catheter implantation in pediatric patients.

Mattioli G, Castagnetti M, Verrina E, **Trivelli A**, Torre M, Jasonni V, Perfumo F.

Urology. 2007 Jun;69(6):1185-9.

Stop codon at arginine 586 is the prevalent nephronophthisis type 1 mutation in Italy.

Caridi G, Dagnino M, **Trivelli A**, Emma F, Perfumo F, Ghiggeri GM.

Nephrol Dial Transplant. 2006 Aug;21(8):2301-3. Epub 2006 Jun 8. No abstract available.

Hyponatremic-hypertensive syndrome with extensive and reversible renal defects.

Trivelli A, Ghiggeri GM, Canepa A, Oddone M, Bava G, Perfumo F.

Pediatr Nephrol. 2005 Jan;20(1):102-4. Epub 2004 Oct 22.

Acute effects of simultaneous intraperitoneal infusion of glucose and amino acids.

Canepa A, Carrea A, Menoni S, Verrina E, **Trivelli A**, Gusmano R, Perfumo F.

Kidney Int. 2001 May;59(5):1967-73.

The use of the PD Adequest mathematical model in pediatric patients on chronic peritoneal dialysis.

Verrina E, Amici G, Perfumo F, **Trivelli A**, Canepa A, Gusmano R.

Perit Dial Int. 1998 May-Jun;18(3):322-8.

Missense mutations in the COL4A5 gene in patients with X-linked Alport syndrome.

Neri TM, Zanelli P, De Palma G, Savi M, Rossetti S, Turco AE, Pignatti GF, Galli L, Bruttini M, Renieri A, Mingarelli R, **Trivelli A**, Pinciaroli AR, Ragaiolo M, Rizzoni GF, De Marchi M.

Hum Mutat. 1998;Suppl 1:S106-9.

Molecular diagnosis of Alport syndrome: the experience in Siena.

Renieri A, Bruttini M, Piccini M, Bruno M, Cecconi M, Conti M, Coppo R, La Manna A, **Trivelli A**, De Marchi M, Ballabio A.

Mesangial glomerulonephritis and transient SLE manifestations in an adolescent with dermatomyositis.

Picco P, Gattorno M, Barbano GC, **Trivelli A**, Pistoia V, Buoncompagni A.

Effects of peritoneal effluents on mesothelial cells in culture: cell proliferation and extracellular matrix regulation.

Perfumo F, Altieri P, Degl'Innocenti ML, Ghiggeri GM, Caridi G, **Trivelli A**, Gusmano R.

Nephrol Dial Transplant. 1996 Sep;11(9):1803-9.

Is the response to rhGH in peritoneal dialysis patients less effective than in patients with chronic renal insufficiency.

Perfumo F, Verrina E, Edefonti A, **Trivelli A**, Canepa A, Gusmano R.

Br J Clin Pract Suppl. 1996 Aug;85:18-20.

Protracted levamisole in children with frequent-relapse nephrotic syndrome.

Ginevri F, **Trivelli A**, Ciardi MR, Ghiggeri GM, Perfumo F, Gusmano R.

Pediatr Nephrol. 1996 Aug;10(4):550.

Protein and calorie intake, nitrogen losses, and nitrogen balance in children undergoing chronic peritoneal dialysis.

Canepa A, Perfumo F, Carrea A, Menoni S, Verrina E, **Trivelli A**, Delucchi P, Gusmano R.

Adv Perit Dial. 1996;12:326-9.

Outgrowth of interleukin-2-dependent T cell lines with cytotoxic activity against mesothelial cells from cultures of peritoneal effluent cells of children on CPD.

Barbano G, Cappa F, Facchetti P, Perfumo F, **Trivelli A**, Prigione I, Altieri P, Pistoia V, Gusmano R.

Nutritional status in children receiving chronic peritoneal dialysis.

Canepa A, Perfumo F, Carrea A, Menoni S, **Trivelli A**, Delucchi P, Gusmano R.

Perit Dial Int. 1996;16 Suppl 1:S526-31.

Protracted high-dose interferon gamma therapy for chronic experimental nephropathy.

Ginevri F, Bergamaschi E, Mutti A, **Trivelli A**, Salvidio G, Fabbretti G, Perfumo F, Ghiggeri GM.

Life Sci. 1994;54(4):PL45-50.

Proteinuria and progression of chronic adriamycin nephropathy.

Ginevri F, Mutti A, Fabbretti G, **Trivelli A**, Bergamaschi E, Altieri P, Ghiggeri GM.

Contrib Nephrol. 1993;101:220-6.

Progression of chronic adriamycin nephropathy in leukopenic rats.

Ginevri F, **Trivelli A**, Mutti A, Bergamaschi E, Fabbretti G, Callea F, Salvidio G, Altieri P, Perfumo F, Ghiggeri GM.

Nephron. 1993;63(1):79-88.

Multiple mechanisms for doxorubicin cytotoxicity on glomerular epithelial cells 'in vitro'.

Ghiggeri GM, Bertelli R, Ginevri F, Oleggini R, Altieri P, **Trivelli A**, Gusmano R.

Eur J Pharmacol. 1992 Sep 1;228(2-3):77-83.

Modulation of proteinuria and renal xanthine oxidase activity by dietary proteins in acute adriamycin nephrosis in rats: lack of correlation with intra- and extracellular amino acids.

Canepa A, Ghiggeri GM, Carrea A, Ginevri F, **Trivelli A**, Perfumo F, Gusmano R.

Nephron. 1992;60(3):342-8.

Puromycin aminonucleoside metabolism by glomeruli and glomerular epithelial cells in vitro.

Ghiggeri GM, Cercignani G, Ginevri F, Bertelli R, Zetta L, Greco F, Candiano G, **Trivelli A**, Gusmano R.

Kidney Int. 1991 Jul;40(1):35-42.

Short- and long-term effects of methylprednisolone pulses and oral cyclophosphamide in renal micropolyarteritis.

Salvidio G, Garibotto G, **Trivelli A**, Moggia E, Villaggio B, Tizianello A.

Contrib Nephrol. 1991;94:144-50.